

FAX VOLUME CHART

Page volumes represent 100% capacity of fax lines installed. In cases where the fax traffic is varied throughout the business day (i.e. "peak fax periods" where 80% of faxes are sent between 12:00PM and 4:00PM), additional lines are recommended to ensure timely distribution of faxes.

# of Fax Lines	Fax Pages 1 Hour	Fax Pages 8 Hours	Fax Pages 10 Hours	Fax Pages 12 Hours
1 Line	60	480	600	720
2 Lines	120	960	1,200	1,440
3 Lines	180	1,440	1,800	2,160
4 Lines	240	1,920	2,400	2,880
5 Lines	300	2,400	3,000	3,600
6 Lines	360	2,880	3,600	4,320
7 Lines	420	3,360	4,200	5,040
8 Lines	480	3,840	4,800	5,760
9 Lines	540	4,320	5,400	6,480
10 Lines	600	4,800	6,000	7,200
11 Lines	660	5,280	6,600	7,920
12 Lines	720	5,760	7,200	8,640
13 Lines	780	6,240	7,800	9,360
14 Lines	840	6,720	8,400	10,080
15 Lines	900	7,200	9,000	10,800
16 Lines	960	7,680	9,600	11,520
17 Lines	1,020	8,160	10,200	12,240
18 Lines	1,080	8,640	10,800	12,960
19 Lines	1,140	9,120	11,400	13,680
20 Lines	1,200	9,600	12,000	14,400
21 Lines	1,260	10,080	12,600	15,120
22 Lines	1,320	10,560	13,200	15,840
23 Lines	1,380	11,040	13,800	16,560
24 Lines	1,440	11,520	14,400	17,280
25 Lines	1,500	12,000	15,000	18,000
26 Lines	1,560	12,480	15,600	18,720
27 Lines	1,620	12,960	16,200	19,440
28 Lines	1,680	13,440	16,800	20,160

29 Lines	1,740	13,920	17,400	20,880
30 Lines	1,800	14,400	18,000	21,600
31 Lines	1,860	14,880	18,600	22,320
32 Lines	1,920	15,360	19,200	23,040
33 Lines	1,980	15,840	19,800	23,760
34 Lines	2,040	16,320	20,400	24,480
35 Lines	2,100	16,800	21,000	25,200
36 Lines	2,160	17,280	21,600	25,920
37 Lines	2,220	17,760	22,200	26,640
38 Lines	2,280	18,240	22,800	27,360
39 Lines	2,340	18,720	23,400	28,080
40 Lines	2,400	19,200	24,000	28,800
41 Lines	2,460	19,680	24,600	29,520
42 Lines	2,520	20,160	25,200	30,240
43 Lines	2,580	20,640	25,800	30,960
44 Lines	2,640	21,120	26,400	31,680
45 Lines	2,700	21,600	27,000	32,400
46 Lines	2,760	22,080	27,600	33,120
47 Lines	2,820	22,560	28,200	33,840
48 Lines	2,880	23,040	28,800	34,560
49 Lines	2,940	23,520	29,400	35,280
50 Lines	3,000	24,000	30,000	36,000
51 Lines	3,060	24,480	30,600	36,720
52 Lines	3,120	24,960	31,200	37,440
53 Lines	3,180	25,440	31,800	38,160
54 Lines	3,240	25,920	32,400	38,880
55 Lines	3,300	26,400	33,000	39,600
56 Lines	3,360	26,880	33,600	40,320
57 Lines	3,420	27,360	34,200	41,040
58 Lines	3,480	27,840	34,800	41,760
59 Lines	3,540	28,320	35,400	42,480
60 Lines	3,600	28,800	36,000	43,200
61 Lines	3,660	29,280	36,600	43,920
62 Lines	3,720	29,760	37,200	44,640

63 Lines	3,780	30,240	37,800	45,360
64 Lines	3,840	30,720	38,400	46,080
65 Lines	3,900	31,200	39,000	46,800
66 Lines	3,960	31,680	39,600	47,520
67 Lines	4,020	32,160	40,200	48,240
68 Lines	4,080	32,640	40,800	48,960
69 Lines	4,140	33,120	41,400	49,680
70 Lines	4,200	33,600	42,000	50,400
71 Lines	4,260	34,080	42,600	51,120
72 Lines	4,320	34,560	43,200	51,840
73 Lines	4,380	35,040	43,800	52,560
74 Lines	4,440	35,520	44,400	53,280
75 Lines	4,500	36,000	45,000	54,000
76 Lines	4,560	36,480	45,600	54,720
77 Lines	4,620	36,960	46,200	55,440
78 Lines	4,680	37,440	46,800	56,160
79 Lines	4,740	37,920	47,400	56,880
80 Lines	4,800	38,400	48,000	57,600
81 Lines	4,860	38,880	48,600	58,320
82 Lines	4,920	39,360	49,200	59,040
83 Lines	4,980	39,840	49,800	59,760
84 Lines	5,040	40,320	50,400	60,480
85 Lines	5,100	40,800	51,000	61,200
86 Lines	5,160	41,280	51,600	61,920
87 Lines	5,220	41,760	52,200	62,640
88 Lines	5,280	42,240	52,800	63,360
89 Lines	5,340	42,720	53,400	64,080
90 Lines	5,400	43,200	54,000	64,800
91 Lines	5,460	43,680	54,600	65,520
92 Lines	5,520	44,160	55,200	66,240
93 Lines	5,580	44,640	55,800	66,960
94 Lines	5,640	45,120	56,400	67,680
95 Lines	5,700	45,600	57,000	68,400
96 Lines	5,760	46,080	57,600	69,120